

OpenCart 1.x

:

- 1. OpenCart
- 2. OpenCart
- 3. OpenCart

⚠ OpenCart 1.x.

CRM, *roistat_visit* **roistat.** , () **roistat.**

1. OpenCart

1. , OpenCart.
2. *catalog/model/checkout/order.php* :

```
public function addOrder($data) {
```

:

```
// cookie  
$roistat_visit = ( ! empty($_COOKIE['roistat_visit'])) ? $_COOKIE['roistat_visit'] : null;
```

3. , , :

```
$this->db->query("INSERT INTO `". DB_PREFIX . "order` SET invoice_prefix = '" . $this->db->escape($data
['invoice_prefix']) . "', store_id = '" . (int)$data['store_id'] . "', store_name = '" . $this->db->escape($data
['store_name']) . "', store_url = '" . $this->db->escape($data['store_url']) . "', customer_id = '" . (int)$data
['customer_id'] . "', customer_group_id = '" . (int)$data['customer_group_id'] . "', first_name = '" . $this->db-
>escape($data['firstname']) . "', last_name = '" . $this->db->escape($data['lastname']) . "', email = '" . $this-
>db->escape($data['email']) . "', telephone = '" . $this->db->escape($data['telephone']) . "', fax = '" . $this-
>db->escape($data['fax']) . "', payment_firstname = '" . $this->db->escape($data['payment_firstname']) . "',
payment_lastname = '" . $this->db->escape($data['payment_lastname']) . "', payment_company = '" . $this->db-
>escape($data['payment_company']) . "', payment_company_id = '" . $this->db->escape($data
['payment_company_id']) . "', payment_tax_id = '" . $this->db->escape($data['payment_tax_id']) . "',
payment_address_1 = '" . $this->db->escape($data['payment_address_1']) . "', payment_address_2 = '" . $this->db-
>escape($data['payment_address_2']) . "', payment_city = '" . $this->db->escape($data['payment_city']) . "',
payment_postcode = '" . $this->db->escape($data['payment_postcode']) . "', payment_country = '" . $this->db-
>escape($data['payment_country']) . "', payment_country_id = '" . (int)$data['payment_country_id'] . "',
payment_zone = '" . $this->db->escape($data['payment_zone']) . "', payment_zone_id = '" . (int)$data
['payment_zone_id'] . "', payment_address_format = '" . $this->db->escape($data['payment_address_format']) .
"', payment_method = '" . $this->db->escape($data['payment_method']) . "', payment_code = '" . $this->db->escape
($data['payment_code']) . "', shipping_firstname = '" . $this->db->escape($data['shipping_firstname']) . "',
shipping_lastname = '" . $this->db->escape($data['shipping_lastname']) . "', shipping_company = '" . $this->db-
>escape($data['shipping_company']) . "', shipping_address_1 = '" . $this->db->escape($data
['shipping_address_1']) . "', shipping_address_2 = '" . $this->db->escape($data['shipping_address_2']) . "',
shipping_city = '" . $this->db->escape($data['shipping_city']) . "', shipping_postcode = '" . $this->db->escape
($data['shipping_postcode']) . "', shipping_country = '" . $this->db->escape($data['shipping_country']) . "',
shipping_country_id = '" . (int)$data['shipping_country_id'] . "', shipping_zone = '" . $this->db->escape($data
['shipping_zone']) . "', shipping_zone_id = '" . (int)$data['shipping_zone_id'] . "', shipping_address_format =
'" . $this->db->escape($data['shipping_address_format']) . "', shipping_method = '" . $this->db->escape($data
['shipping_method']) . "', shipping_code = '" . $this->db->escape($data['shipping_code']) . "', comment = '" .
$this->db->escape($data['comment']) . "', total = '" . (float)$data['total'] . "', affiliate_id = '" .
(int)$data['affiliate_id'] . "', commission = '" . (float)$data['commission'] . "', language_id = '" .
(int)$data['language_id'] . "', currency_id = '" . (int)$data['currency_id'] . "', currency_code = '" . $this-
>db->escape($data['currency_code']) . "', currency_value = '" . (float)$data['currency_value'] . "', ip = '" .
$this->db->escape($data['ip']) . "', forwarded_ip = '" . $this->db->escape($data['forwarded_ip']) . "',
user_agent = '" . $this->db->escape($data['user_agent']) . "', accept_language = '" . $this->db->escape($data
['accept_language']) . "', date_added = NOW(), date_modified = NOW());
```

:

```

$this->db->query("INSERT INTO `". DB_PREFIX . "order` SET invoice_prefix = ' " . $this->db->escape($data
['invoice_prefix']) . "', store_id = ' " . (int)$data['store_id'] . "', store_name = ' " . $this->db->escape($data
['store_name']) . "', store_url = ' " . $this->db->escape($data['store_url']) . "', customer_id = ' " . (int)$data
['customer_id'] . "', customer_group_id = ' " . (int)$data['customer_group_id'] . "', firstname = ' " . $this->db-
>escape($data['firstname']) . "', lastname = ' " . $this->db->escape($data['lastname']) . "', email = ' " . $this-
>db->escape($data['email']) . "', telephone = ' " . $this->db->escape($data['telephone']) . "', fax = ' " . $this-
>db->escape($data['fax']) . "', payment_firstname = ' " . $this->db->escape($data['payment_firstname']) . "',
payment_lastname = ' " . $this->db->escape($data['payment_lastname']) . "', payment_company = ' " . $this->db-
>escape($data['payment_company']) . "', payment_company_id = ' " . $this->db->escape($data
['payment_company_id']) . "', payment_tax_id = ' " . $this->db->escape($data['payment_tax_id']) . "',
payment_address_1 = ' " . $this->db->escape($data['payment_address_1']) . "', payment_address_2 = ' " . $this->db-
>escape($data['payment_address_2']) . "', payment_city = ' " . $this->db->escape($data['payment_city']) . "',
payment_postcode = ' " . $this->db->escape($data['payment_postcode']) . "', payment_country = ' " . $this->db-
>escape($data['payment_country']) . "', payment_country_id = ' " . (int)$data['payment_country_id'] . "',
payment_zone = ' " . $this->db->escape($data['payment_zone']) . "', payment_zone_id = ' " . (int)$data
['payment_zone_id'] . "', payment_address_format = ' " . $this->db->escape($data['payment_address_format']) .
"', payment_method = ' " . $this->db->escape($data['payment_method']) . "', payment_code = ' " . $this->db->escape
($data['payment_code']) . "', shipping_firstname = ' " . $this->db->escape($data['shipping_firstname']) . "',
shipping_lastname = ' " . $this->db->escape($data['shipping_lastname']) . "', shipping_company = ' " . $this->db-
>escape($data['shipping_company']) . "', shipping_address_1 = ' " . $this->db->escape($data['shipping_address_1']) . "',
shipping_address_2 = ' " . $this->db->escape($data['shipping_address_2']) . "',
shipping_city = ' " . $this->db->escape($data['shipping_city']) . "', shipping_postcode = ' " . $this->db->escape
($data['shipping_postcode']) . "', shipping_country = ' " . $this->db->escape($data['shipping_country']) . "',
shipping_country_id = ' " . (int)$data['shipping_country_id'] . "', shipping_zone = ' " . $this->db->escape($data
['shipping_zone']) . "', shipping_zone_id = ' " . (int)$data['shipping_zone_id'] . "', shipping_address_format =
' " . $this->db->escape($data['shipping_address_format']) . "', shipping_method = ' " . $this->db->escape($data
['shipping_method']) . "', shipping_code = ' " . $this->db->escape($data['shipping_code']) . "', comment = ' " .
$this->db->escape($data['comment']) . "', total = ' " . (float)$data['total'] . "', affiliate_id = ' " .
(int)$data['affiliate_id'] . "', commission = ' " . (float)$data['commission'] . "', language_id = ' " .
(int)$data['language_id'] . "', currency_id = ' " . (int)$data['currency_id'] . "', currency_code = ' " . $this-
>db->escape($data['currency_code']) . "', currency_value = ' " . (float)$data['currency_value'] . "', ip = ' " .
$this->db->escape($data['ip']) . "', forwarded_ip = ' " . $this->db->escape($data['forwarded_ip']) . "',
user_agent = ' " . $this->db->escape($data['user_agent']) . "', accept_language = ' " . $this->db->escape($data
['accept_language']) . "', roistat_visit = ' " . $this->db->escape($roistat_visit) . "', date_added = NOW(),
date_modified = NOW()");

```

4. *admin/view/template/sale/order_form.tpl* :

```

<tr> <td><?php echo $entry_fax; ?></td> <td><input type="text" name="fax" value="<?php echo $fax; ?>" /></td> <
/tr>

```

:

```

<!-- ROIstat --> <tr> <td>ROIstat ID</td> <td><input type="text" name="roistat_visit" value="<?php echo
$roistat_visit; ?>" /></td> </tr> <!-- END ROIstat -->

```

5. *admin/view/template/sale/order_info.tpl* :

```

<tr> <td><?php echo $text_date_modified; ?></td> <td><?php echo $date_modified; ?></td> </tr>

```

</table>:

```

<tr> <td>ROIstat:</td> <td><?php echo $roistat_visit; ?></td> </tr>

```

6. *admin/model/sale/order.php* :

```

'date_modified' => $order_query->row['date_modified']

```

:

```
'date_modified' => $order_query->row['date_modified'], 'roistat_visit' => $order_query->row['roistat_visit'],
```

7. *admin/controller/sale/order.php* :

```
if (isset($this->request->post['email'])) { $this->data['email'] = $this->request->post['email']; } elseif (!  
empty($order_info)) { $this->data['email'] = $order_info['email']; } else { $this->data['email'] = ''; }
```

:

```
// roistat_visit  
if (isset($this->request->post['roistat_visit'])) { $this->data['roistat_visit'] = $this->request->post  
['roistat_visit']; } elseif ( ! empty($order_info)) { $this->data['roistat_visit'] = $order_info  
['roistat_visit']; } else { $this->data['roistat_visit'] = ''; }
```

8. *admin/controller/sale/order.php* :

```
$this->data['store_name'] = $order_info['store_name']; $this->data['store_url'] = $order_info['store_url'];  
$this->data['firstname'] = $order_info['firstname']; $this->data['lastname'] = $order_info['lastname'];
```

:

```
// ROiStat  
$this->data['roistat_visit'] = $order_info['roistat_visit'];
```

2. OpenCart

9. OpenCart , Roistat .

The screenshot shows the OpenCart Administration interface. The top navigation bar includes 'Обзор', 'Каталог', 'Дополнения', 'Продажи', 'Система', 'Отчеты', and 'Помощь'. The 'Дополнения' tab is selected. Below the navigation bar, there is a sidebar with 'Главная' and 'Модули'. The 'Модули' section is expanded, showing a list of modules. The 'Экспорт информации ROiStat' module is highlighted, and a red arrow labeled '2' points to its 'Установить' (Install) button. Another red arrow labeled '1' points to the 'Дополнения' tab in the top navigation bar.

Название модуля	Действие
Аккаунт	[Изменить] [Удалить]
Партнерская программа	[Изменить] [Удалить]
Кнопка платежей Amazon	[Установить]
Баннер	[Изменить] [Удалить]
Хиты продаж	[Установить]
Карусель	[Изменить] [Удалить]
Категории	[Изменить] [Удалить]
eBay display	[Установить]
Рекомендуемые	[Изменить] [Удалить]
Фильтр	[Установить]
Google Talk	[Установить]
Информация	[Установить]
Последние	[Установить]
ОренВay Pro	[Установить]
Кнопка PayPal Express Checkout	[Установить]
Экспорт информации ROiStat	[Установить]
Слайдшоу	[Изменить] [Удалить]
Акции	[Установить]
Магазин	[Изменить] [Удалить]
Приветствие	[Установить]

10. .

11. :

- ID - Roistat, (, <http://cloud.roistat.com/project/1288>, 1288).

[Главная](#) :: [text module](#) :: [Экспорт информации ROlstat](#)



Экспорт информации ROlstat

ID проекта:

Имя пользователя:

Пароль:

ID Roistat Google Analytics.


:

1. OpenCart .
2. .



3. .
4. **Google Analytics** Roistat, Roistat, .

Уровень сжатия: Задайте значение от 0 до 9.	<input type="text" value="0"/>
Показывать ошибки:	<input checked="" type="radio"/> Да <input type="radio"/> Нет
Записывать ошибки:	<input checked="" type="radio"/> Да <input type="radio"/> Нет
* Файл журнала ошибок:	<input type="text" value="error.txt"/>
Код Google Analytics: Войдите в Ваш Google Analytics аккаунт и после настройки добавьте сюда код выданный Google Analytics.	<pre><!-- begin roistat code --> <script> (function(w, d, s, u, id) { var js = d.createElement(s); js.async = 1; js.src = u; var js2 =</pre>



3. OpenCart

1. Roistat .
2. CRM / CMS OpenCart .
3. URL URL- . , *http://mysite.ru*.
4. , 11 3 .
5. .
6. OpenCart.